



ISO 9001:2008 CERTIFIED



DetrminantsS C Agarkar

It is amthematical concept associated with Matrices nad has trmendous applications in business matters.



Determinants



A scalar quantity obtained by expanding the elements of a square matrix with respect to the elements of any row or column is called a determinant of that matrix.

Consider the following square matrix and its determinant.

$$\begin{bmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{bmatrix}$$

$$|A| = a_{11}a_{22} - a_{12}a_{21}$$



Evaluation of a determinant



The value of the determinant is obtained by expanding it with the help of the elements of any row or column.

Multiply each element of the first row (or column) by the determinant obtained after removing the row and column to which it belongs. The signs of the products are taken alternatively positive and negative.



Evaluate the following determinant

$$\begin{vmatrix} -1 & 5 & -2 \\ 2 & 1 & 0 \\ 2 & 7 & 3 \end{vmatrix}$$

$$A = \begin{vmatrix} 2 & 1 & 0 \\ 2 & 7 & 3 \\ 2 & 7 & 3 \end{vmatrix}$$

$$\begin{vmatrix} 2 & 7 & 3 \\ 2 & 7 & 3 \\ 2 & 7 & 3 \end{vmatrix}$$

$$|A| = -1 \begin{vmatrix} 10 & -5 \\ 2 & 0 \end{vmatrix} - 5 \begin{vmatrix} 2 & 0 \\ 2 & 1 \end{vmatrix} - 2 \begin{vmatrix} 2 & 1 \\ 2 & 7 \end{vmatrix}$$

$$\begin{vmatrix} 7 & 3 \\ 2 & 3 \end{vmatrix} \quad \begin{vmatrix} 2 & 3 \\ 2 & 7 \end{vmatrix} \quad \begin{vmatrix} 2 & 7 \\ 2 & 7 \end{vmatrix}$$

$$|A| = -1(1 \times 3 - 0 \times 7) - 5(2 \times 3 - 0 \times 2) - 2(2 \times 7 - 2 \times 1)$$

$$= -1(3) - 5(6) - 2(12)$$

$$= -3 - 30 - 24$$

$$= -57$$



Cramer's rule



Solve the linear equations

$$2x + 3y = 5$$

$$3x - 2y = 1$$

$$D = \begin{vmatrix} 2 & 3 \\ 3 & -2 \end{vmatrix} = 2(-2) - 3(3) = -4 - 9 = -13$$

$$\begin{vmatrix} 3 & -2 \end{vmatrix}$$

$$D_1 = \begin{vmatrix} 5 & 3 \end{vmatrix}$$

$$\begin{vmatrix} 1 & -2 \end{vmatrix} = -13 \text{ and } D_2 = -13$$

$$x = D_1/D = 1, \quad y = D_2/D = 1$$

This is called Cramer's rule



Problem to Solve



Solve the following system of equations by means of determinants

$$x+y+z-7=0$$

$$x+2y+3z-16=0$$

$$x+3y+4z-23=0$$

Calculate $D = -1$, $D_1=0$, $D_2=-5$, $D_3=-2$

$$x = D_1/D$$

$$y = D_2/D$$

$$z = D_3/D$$



Problem on Linear Equation



An amount of Rs. 5000 is put into three investments at the rates of interest of 6%, 7% and 8% per annum respectively. The total annual income is Rs. 358. If the combined income from the first two investment is Rs. 70 more than the income from the third, find the amount of each investment by using determinants.



Problem to Solve



A company produces three products everyday. Their total production on a certain day is 45 tons. It is found that the production of third product exceeds the production of first product by 8 tons while the total production of first and third product is twice the production of second product. Determine the production level of each product using Cramer's rule.



Problem for Practice



One unit of food 1 contains 100 units of vitamins, 60 units of minerals and 80 calories. One unit of food 2 contains 150 units of vitamins, 60 units of minerals and 180 calories. One unit of food 3 contains 90 units of vitamins, 40 units of minerals and 100 calories. Diet requirement for a patient is 1100 units of vitamins, 500 units of minerals and 1200 calories. Find out by determinant method how many units of each food should be mixed to form the diet which would meet the requirement exactly.



Thank you

ISO 9001:2008 CERTIFIED

